

Case Docket No. ELITRA.001C1

Date: August 6, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

Zyskind, et al.

Appl. No.

:

10/771,241

Filed

February 3, 2004

For

GENES IDENTIFIED AS

REQUIRED FOR PROLIFERATION IN ESCHERICHIA COLI

Examiner

Unknown

Group Art Unit:

1645

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

August 6, 2004 (Date)

Daniel Hart, Reg. No. 40,637

TRANSMITTAL LETTER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Enclosed for filing in the above-identified application are:

- (X) An Information Disclosure Statement.
- (X) A PTO Form 1449 with two hundred fifty-three (253) references which are not enclosed.
- (X) The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Account No. 11-1410.
- (X) Return prepaid postcard.

Daniel Hart

Registration No. 40,637

Attorney of Record

Customer No. 20,995

(619) 235-8550

Docket No.: ELITRA.001C1

INFORMATION DISCLOSURE STATEMENT

Applicant

Zyskind, et al.

App. No.

10/771,241

Filed

February 3, 2004

For

GENES IDENTIFIED AS REQUIRED

FOR PROLIFERATION IN

ESCHERICHIA COLI

Examiner

Unknown

Group Art Unit

1645

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Enclosed is form PTO-1449 listing two hundred fifty-three (253) references that are of record in U.S. patent application No. 09/492,709, filed January 27, 2000, which is the parent of this continuation application, and is relied upon for an earlier filing date under 35 U.S.C. § 120. Copies of the references are not submitted pursuant to 37 C.F.R. § 1.98(d).

This Information Disclosure Statement is being filed before the receipt of a first Office Action on the merits, and presumably no fee is required in accordance with 37 C.F.R. § 1.97(b)(3). If a first Office Action on the merits was mailed before the mailing date of this Statement, the Commissioner is authorized to charge the fee set forth in 37 C.F.R. § 1.17(p) to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: 1 11 6, 2004

Daniel Hart

Registration No. 40,637 Attorney of Record Customer No. 20,995

(619) 235-8550

FORM PTO-1449
INFORMATIO

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

OF COMMERCE ATTY, DOCKET NO. ELITRA.001C1

APPLICATION	NO.
10/771,241	

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT	
Zyskind, et al.	

FILING DATE February 3, 2004 GROUP 1645

	U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)	
	1	4,622,297	11/11/86	Kappner, et al.				
	2	4,906,742	03/06/90	Young et al.				
	3	4,980,281	12/25/90	Housey, et al.				
	4	5,082,767	01/21/92	Hatfield, et al.				
	5	5,142,047	08/25/92	Summerton, et al.				
	6	5,190,931	03/02/93	Inouye				
	7	5,208,149	05/04/93	Inouye, et al.				
	8	5,266,464	11/30/93	Housey, et al.				
	9	5,272,065	12/21/93	Inouye, et al.				
	10	5,353,236	10/04/94	Subbiah				
	11	5,405,775	04/11/95	Inouye, et al.				
	12	5,463,564	10/31/95	Agrafiotis, et al.				
	13	5,569,588	12/09/96	Ashby, et al.				
	14	5,574,656	11/12/96	Agrafiotis, et al.				
	15	5,585,277	12/17/96	Bowie, et al.				
	16	5,612,180	03/18/97	Brown, et al.				
	17	5,639,603	06/17/97	Dower, et al.				
	18	5,679,523	10/21/97	Li et al.				
	19	5,684,711	11/04/97	Agrafiotis, et al.				
	20	5,688,655	11/08/97	Housey, et al.				
	21	5,744,460	04/28/98	Muller, et al.				
	22	5,756,305	05/26/98	Timberlake, et al.				
	23	5,807,522	09/15/98	Brown, et al.				
	24	5,821,076	10/13/98	Timberlake, et al.				
	25	5,846,772	12/08/98	Hodgson et al.				
	26	5,854,020	12/29/98	Hodgson et al.				
	27	5,858,709	01/12/99	Hodgson et al.				

FXA	BA	INI	_	o

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO.	APPLICATION NO.
ELITRA.001C1	10/771,241
APPLICANT Zyskind, et al.	
FILING DATE	GROUP
February 3, 2004	1645

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
	28	5,869,290	02/09/99	Freeman et al.			
	29	5,869,604	02/09/99	Rousseau, et al.			
	30	5,874,281	02/23/99	Dattagupta, et al.			
	31	5,874,567	02/23/99	Smith			
	32	5,877,007	03/02/99	Housey, et al.			
	33	5,882,643	03/16/99	Lonetto			
	34	5,885,572	03/23/99	Gentry e t al.			
	35	5,891,667	04/06/99	Hodgson et al.			
	36	5,910,414	06/08/99	Gwynn et al.			
	37	5,955,275	09/21/99	Kamb			
	38	5,965,352	10/12/99	Stoughton, et al.			
	39	5,972,708	10/26/99	Sherratt, et al.			
	40	6,015,669	01/18/00	Holden			
	41	6,020,121	02/01/00	Bao et al.			
	42	6,037,123	03/14/00	Benton et al.			
	43	6,077,682	06/20/00	Inouye, et al.			
	44	6,139,817	10/31/00	Palmer, et al.			
	45	6,156,526	12/05/00	Boriack-Sjodin, et al.			
	46	6,171,838 B1	01/09/01	Black			
	47	6,174,678 B1	01/16/01	Menzel, et al.			
	48	6,228,579 B1	05/08/01	Zyskind, et al.			
	49	6,228,588 B1	05/08/01	Benton, et al.			
	50	6,248,525 B1	06/19/01	Nilsen			
	51	6,277,564 B1	08/21/01	Berlin, et al.			
	52	6,303,115 B1	10/16/01	Natsoulis			_
	53	6,348,582 B1	02/19/02	Black, et al.			
	54	US 2002/0058260 A1	05/16/02	Zyskind, et al.			

EXAMINER	DATE CONSIDERED

. .

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

TTY. DOCKET NO.	
ELITRA.001C1	

APPLICATION NO. 10/771,241

APPLICANT Zyskind, et al.

FILING DATE February 3, 2004 GROUP 1645

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
	55	US 2002/0115217 A1	08/22/02	Fan, et al.			
							· · · · · · · · · · · · · · · · · · ·

FOREIGN PATENT DOCUMENTS									
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION		
INITIAL							YES	NO	
	56	EP 0 816 511 A1	01/07/98	EPO					
	57	EP 0 837 142 A1	04/22/98	EPO					
	58	EP 0 889 123 A2	01/07/99	EPO					
	59	EP 0 889 129 A2	01/07/99	EPO					
	60	EP 0 891 984 A2	01/20/99	EPO					
	61	EP 0 892 056 A2	01/20/99	EPO					
	62	EP 0 892 064 A2	01/20/99	EPO					
	63	EP 0 894 806 A1	02/03/99	EPO					
	64	EP 0 897 008 A2	02/17/99	EPO					
	65	EP 0 900 845 A2	03/10/99	EPO					
	66	EP 0 905 247 A2	03/31/99	EPO					
	67	EP 0 906 959 A2	04/07/99	EPO					
	68	WO 95/02823	01/26/95	PCT					
	69	WO 95/06132	03/02/95	PCT					
	70	WO 95/29254	11/02/95	РСТ					
	71	WO 96/17951	06/13/96	РСТ					
	72	WO 96/23075	08/01/96	РСТ					
	73	WO 96/40979	12/19/96	PCT					

EXAMINER	DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO. ELITRA.001C1	APPLICATION NO. 10/771,241	

APPLICANT Zyskind, et al.

FILING DATE February 3, 2004 GROUP 1645

1				FOREIGN PATENT DOCUMENTS				
EXAMINER		DOCUMENT NUMBER DATE		COUNTRY	CLASS	SUBCLASS	TRANS	LATION
INITIAL							YES	NO
	74	WO 97/11690	04/03/97	РСТ				
	75	WO 97/16177	05/09/97	PCT				
	76	WO 97/23642	07/03/97	РСТ				
	77	WO 97/27212	07/31/97	PCT				
	78	WO 97/27213	07/31/97	PCT				
	79	WO 97/37026	10/09/97	PCT				
	80	WO 97/40851	11/06/97	PCT				
	81	WO 97/42210	11/13/97	PCT				
	82	WO 97/48822	12/24/97	РСТ				
	83	WO 98/03533	01/29/98	PCT				
	84	WO 98/19162	05/07/98	РСТ				
	85	WO 98/20161	05/14/98	РСТ				
	86	WO 98/21366	05/22/98	РСТ				
	87	WO 98/42854	10/01/98	РСТ				
	88	WO 98/44135	10/08/98	РСТ				
	89	WO 99/02673	01/21/99	РСТ				
	90	WO 99/06839	02/11/99	PCT .				
	91	WO 99/13893	03/25/99	РСТ				
	92	WO 99/18239	04/15/99	РСТ				
	93	WO 99/23244	05/14/99	РСТ				
	94	, WO 99/26651	06/03/99	РСТ				
	95	WO 99/27074	06/03/99	РСТ				
	96	WO 99/27128	06/03/99	РСТ				
	97	WO 99/28508	06/10/99	РСТ				
	98	WO 99/29837	06/17/99	РСТ				
	99	WO 99/33871	07/08/99	РСТ				
	100	WO 99/35494	07/15/99	РСТ				
	101	WO 99/36554	07/22/99	РСТ				

EXAM:	INICO
	IINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO.	APPLICATION NO.
ELITRA.001C1	10/771,241
	i

APPLICANT Zyskind, et al.

FILING DATE February 3, 2004 GROUP 1645

EXAMINER DOCUMENT NUMBER DATE COUNTRY			COUNTRY	CLASS	SUBCLASS	TRANSLATION		
INITIAL							YES	NO
	102	WO 99/43338	09/02/99	PCT				
-	103	WO 99/49888	10/07/99	PCT				
	104	WO 99/50462	10/07/99	PCT				
	105	WO 99/52926	10/21/99	PCT				
	106	WO 99/53079	10/21/99	PCT				
	107	WO 99/54728	10/28/99	PCT				
	108	WO 99/55729	11/04/99	PCT				
	109	WO 99/61452	12/02/99	РСТ				
	110	WO 00/34481	06/15/00	РСТ				
	111	WO 00/61793	10/19/00	РСТ				
	112	WO 01/07061 A1	02/01/01	РСТ				
	113	WO 01/09164 A2	02/08/01	РСТ				-
	114	WO 01/11081 A2	02/15/01	РСТ				-
	115	WO 01/34809 A2	05/17/01	РСТ				
	116	WO 01/49721 A2	07/12/01	РСТ				
	117	WO 01/49775 A2	07/12/01	РСТ			-	
	118	WO 03/034027 A2	04/24/03	РСТ				
-								
	İ							
					1		-	
								
					+ -			
					 			
					 			
					+			
					-			
					1			

EXAMINER	DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY, DOCKET NO. ELITRA.001C1	10/771,241	
APPLICANT		

Zyskind, et al.

FILING DATE GROUP
February 3, 2004 1645

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
	119	Akerley, et al. 2002. A genome-scale analysis for identification of genes required for growth or survival of Haemophilus influenzae. PNAS, 99(2):966-971.
	120	Almarsson, et al. 1993. Peptide nucleic acid (PNA) conformation and polymorphism in PNA-DNA and PNA-RNA hybrids. <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 90:9542-9546.
	121	Altschul, et al. 1990. Basic local alignment search tool. J. Mol. Biol., 215:403-10.
	122	Altschul, et al. 1997. Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. Nucleic Acid Res., 25(17): 3389-3402.
	123	Arigoni, et al. 1998. A genome-based approach for the identification of essential bacterial genes. Nature Biotechnology, 16: 851-856.
	124	Appelt, K. 1993. Crystal structures of HIV-1 protease-inhibitor complexes. Perspectives in Drug Discovery and Design, 1:23-48.
	125	Armstrong, et al. 1975. Essential Genes in the metB-malB Region of Escherichia coli K12. J. Bacteriol., 126:48-55.
	126	Austin, et al. 1990. Genetic Analysis of Lipopolysaccharide Core Biosynthesis by Escherichia coli k12 Insertion Mutagenesis of the RFA Locus. Journal of Bacteriology. 172:5312-5325.
	127	Ausubel, et al. (Eds.). 1997. Current Protocols in Molecular Biology, Vol. 1, Unit 1.8.1-1.8.10. John Wiley & Sons, Inc.
	128	Bagby, et al. 1994. Unusual helix-containing Greek keys in development-specific Ca ²⁺ -binding protein S. ¹ H, ¹⁵ N, and ¹³ C assignments and secondary structure determined with the use of multidimensional double and triple resonance heteronuclear NMR spectroscopy. <i>Biochemistry</i> , 33:2409-2421.
	129	Bagby, et al. 1995. Solution structure of the C-terminal core domain of human TFIIB: Similarity to Cyclin A and interaction with TATA-binding protein. Cell, 82:857-867.
	130	Balbes, et al. 1994. A perspective of modern methods in computer-aided drug design. In Lipkowitz, et al., Eds. Reviews in Computational Chemistry V. Chap. 7, pp. 337-379. New York: VCH Publishers.
	131	Basu, et al. 1997. Synthesis and characterization of a peptide nucleic acid conjugated to a D-peptide analog of insulin-like growth factor 1 for increased cellular uptake. <i>Bioconjugate Chem.</i> , 8:481-488.
	132	Bennett, F. C. 1998. Antisense oligonucleotides: Is the glass half full or half empty? Biochemical Pharmacology, 55:9-19.
	133	Bentin, et al. 1996. Enhanced peptide nucleic acid binding to supercoiled DNA: Possible implications for DNA "breathing" dynamics. <i>Biochemistry</i> , 35:8863-8869.
	134	Biswas, et al. 1999. Mechanism and DnaB Helicase of Escherichia coli: Structural Domains Involved in ATP Hydrolysis, DNA Binding, and Oligomerization. Biochem., 38:10919-10928.
	135	Blattner, et al. 1997. The Complete Genome Sequence of Escherichia Coli K-12. Science, 277:1453-1474.
	136	Blattner, et al. 1997. "Escherichia coli K12 MG1655 section 101 of 400 of the complete genome," Database accession no. AE000211, XP002181472.
	137	Blattner, et al. 1997. "Escherichia coli K12 MG1655 section 298 of 400 of the complete genome," Database accession no. AE000408, XP002181129.
	138	Blattner, et al. 1997. "Escherichia coli K12 MG1655 section 305 of 400 of the complete genome," Database accession no. AE000415, XP002181474.
	139	Blattner, et al. 1997. "Escherichia coli K12 MG1655 section 337 of 400 of the complete genome," Database accession no. AE000447, XP002181127.
	140	Blattner, et al. 1995. "Hypothetical 79.5 kDa protein in MRCA-PCKA intergenic region (0711)," Database accession no. P45800, XP002181475.
	141	Blattner, et al. 2000. "Hypothetical protein YCFS precursor," Database accession no. P75954, XP002181473.
	142	Branch, A. D. 1998. A good antisense molecule is hard to find. <i>TIBS</i> , 23:45-50.
	143	Brunschwig, et al. 1992. A two-component T7 system for the overexpression of genes in <i>Pseudomonas aeruginosa. Gene</i> , 111:35-41.
	144	Bugg, et al. 1993. Drugs by design: Structure-based design, an innovative approach to developing drugs, has recently spawned many promising therapeutic agents, including several now inhuman trials for treating AIDS, cancer and other diseases. Scientific American, Dec.:92-98.
	145	Burland, et al. 1992. "60 kDa inner-membrane protein," Database accession no. P25714, XP002181128.
	146	Burland, et al. 1993. "E. coli; the region from 81.5 to 84.5 minutes," Database accession no. L10328, XP002181130.
	147	Burland, et al., *DNA sequence and analysis of 136 kilobases of the Escherichia coli genome: Organizational symmetry around the origin of replication,* Genomics, 16:551-561 (1993).
	148	Cao, et al. 1993. Expression and functional analysis of steroid receptor fragments secreted from Staphylococcus aureus. J. Steroid Biochem Molec. Biol., 44(1):1-11.

EXAMINER	DATE CONSIDERE
EXAMINER	DATE CONSIDER

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO.	APPLICATION NO.
ELITRA.001C1	10/771,241
APPLICANT Zyskind, et al.	

APPLICANT
Zyskind, et al.

FILING DATE
February 3, 2004

GROUP
1645

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)				
	149	Ceretti, et al., "Escherichia coli spc ribosomal protein operon," Database accession no. X01563, XP002181131.			
	150	Clore, et al. 1987. Three-dimensional structure of potato carboxypeptidase inhibitor in solution: A study using nuclear magnetic resonance, distance geometry, and restrained molecular dynamics. <i>Biochemistry</i> , 26:8012-8023.			
	151	Cotrim, et al. 1999. Isolation of genes mediating resistance to inhibitors of nucleoside and ergosterol metabolism in <i>Leishmania</i> by overexpression/selection. Journal of Biological Chemistry, 274(53):37723-37730.			
	152	Crooke, S. T. 1998. An overview of progress in antisense therapeutics. Antisense & Nucleic Acid Drug Development, 8:115-122.			
	153	Crosa, et al. 1973. Molecular relationships among the Salmonelleae. J. Bacteriol, 115(1):307-315.			
	154	Cwirla, et al. 1990. Peptides on phage: A vast library of peptides for identifying ligands. Proc. Natl. Acad. Sci. USA, 87:6378-6382.			
	155	De Backer, et al. 2001. An antisense-based functional genomics approach for identification of genes critical for growth of Candida albicans. Nature Biotechnology, 19:235-241.			
	156	Demidov, et al. 1995. Kinetics and mechanism of polyamide ("peptide") nucleic acid binding to duplex DNA. Proc. Natl. Acad. Sci. U.S.A., 92:2637-2641.			
	157	Demidov, et al. 1993. Sequence selective double strand DNA cleavage by Peptide Nucleic Acid (PNA) targeting using nuclease S1. Nucl. Acids. Res., 21(9):2103-2107.			
	158	Demidov, et al. 1994. Stability of peptide nucleic acids in human serum and cellular extracts. Biochem. Pharm., 48(6):1010-1313.			
	159	den Hollander, et al. 1997. Synergism Between Tobramycin and Ceftazidime Against a Resistant Pseudomonas Aeruginosa Strain, Tested in an In Vitro Pharmacokinetic Model. Antimicrobia Agents & Chemotherapy, 41:95-110.			
	160	Devlin, et al. 1990. Random peptide libraries: A source of specific protein binding molecules. Science, 249:404-406.			
	161	Dove, A. 2002. Antisense and sensibility. Nature Biotechnology, 20:121-124.			
	162	Edwards, B. H. 1999. Salmonella and Shigella species. Clinics Lab. Med., 19(3):469-487.			
	163	Egholm, et al. 1995. Efficient pH-independent sequence-specific DNA binding by pseudoisocytosine-containing bis-PNA. Nucleic Acids Res., 23(2):217-222.			
	164	Egholm, et al. 1993. PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules. Nature, 365:566-568.			
	165	Egholm, et al. 1992. Recognition of Guanine and Adenine in DNA by Cytosine and Thymine Containing Peptide Nucleic Acids (PNA). J. Am. Chem. Soc., 114(24):9677-9678.			
	166	Engvall, E. 1980. Enzyme Immunoassay ELISA and EMIT. Meth. Enzymol., 70:419-439.			
	167	Erickson, J. W. 1993. Design and structure of symmetry-based inhibitors of HIV-1 protease. Perspectives in Drug Discovery and Design, 1:109-128.			
	168	Etzold, et al. 1993. Sequence Retrieval System (SRS). SRS-An indexing and retrieval tool for flat file data libraries. Comput. Appl. Biosci. 9(1):49-57.			
	169	Fukuoka, et al. 1997. Combination Effect Between Panipenem and Vancomycin on Highly Methicillin-Resistant Staphylococcus Aureus. <i>Japan. J. Antibio.</i> , 50:411-419.			
	170	Gabryelewicz, et al. 1997. Multicenter Evaluation of Dual-Therapy (Omeprazol and Amoxycillin) for <i>Helicobacter Pylori</i> -Associated Duodenal and Gastric Ulcer (Two Years of the Observation). <i>J. Physiol. Pharmacol.</i> , 48 Suppl. 4:93-105.			
	171	Gallop, et al. 1994. Applications of Combinatorial Technologies to Drug Discovery. 1. Background and Peptide Combinatorial Libraries. Journal of Medicinal Chemistry, 37(9):1233-1251.			
	172	Good, et al. 1998. Antisense inhibition of gene expression in bacteria by PNA targeted to mRNA. Nature Biotechnology, 16:355-358.			
-	173	Good, et al. 1998. Inhibition of translation and bacterial growth by peptide nucleic acid targeted to ribosomal RNA. Proc. Natl. Acad. Sci. USA, 95:2073-2076.			
	174	Griffin, et al. 1989. Recognition of Thymine Adenine Base Pairs by Guanine in a Pyrimidine Triple Helix Motif. Science, 245:967-971.			
:	175	Griffith, et al. 1995. Single and bis peptide nucleic acids as triplexing agents: Binding and Stoichiometry. 1995. J. Am. Chem. Soc., 117:831-832.			
	176	Gucev, et al. 1996. Insulin-like growth factor binding protein 3 mediates retinoic acid- and transforming growth factor β2-induced growth inhibition in human breast cancer cells. Cancer Research, 56(7):1545-1550.			
	177	Gudkov, et al. 1997. "Isolation of genetic suppressor elements (GSEs) from random fragment cDNA libraries in retroviral vectors." In Cowell, et al. (Eds.). Methods in Molec. Biol., Vol. 69 cDNA Library Protocols, Totowa, NY: Humana Press, Inc.			
	178	Gura, T. 1995. Antisense has growing pains. Science, 270:575-577.			

EXAMINER	DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO.	APPLICATION NO.
ELITRA.001C1	10/771,241
APPLICANT Zyskind, et al.	

GROUP 1645

EXAMINER INITIAL		
	179	Gutmann, et al. 1986. Involvement of Pencillin-Binding Protein 2 with other Pencillin-Binding Proteins in Lysis of Escherichia coli by some Beta-Lactam Antibiotics Alone and in Synergistic Lytic Effect of Amdinocillin (Mecillinam). Antimicrobial Agents & Chemotherapy, 30:906-912.
	180	Hamilton, et al. 1989. New method for generating deletions and gene replacements in Escherichia coli. J. Bacteriol., 171(9):4617-4622.
	181	Hanvey, et al. 1992. Antisense and antigene properties of peptide nucleic acids. Science, 258:1481-1484.
	182	Hensel, et al. 1995. Simultaneous identification of bacterial virulence genes by negative selection. Science, 269:400-403.
	183	Hiasa, et al. 1999. Initiation of Bidirectional Replication at the Chromosomal Origin is Directed by the Interaction Between Helicase and primase. J. Biol. Chem., 274:27244-27248.
	184	Hirschman, et al. 1996. Peptide nucleic acids stimulate gamma interferon and inhibit the replication of the human immunodeficiency virus. J. Investig. Med., 44(6):347-351.
	185	Ho, et al. 1989. Site-directed mutagenesis by overlap extension using the polymerase chain reaction. Gene, 77:51-59.
	186	Holzmayer, et al. 1992. Isolation of Dominant Negative Mutants and Inhibitory Antisense RNA Sequences by Expression Selection of Random DNA Fragments. Nucleic Acids Res., 20(4):711-717.
	187	Horton, et al. 1989. Engineering hybrid genes without the use of restriction enzymes: Gene splicing by overlap extension. Gene, 77:61-68.
	188	Huerta, et al. 1998. RegulonDB: A database on transcriptional regulation in Escherichia coli. Nucl. Acids Res., 26(1):55-59.
	189	Huycke, et al. 1998. Multiple-drug resistant enterococci: The nature of the problem and an agenda for the future. Emerging Infectious Diseases, 4(2):239-249.
	190	Israelsen, et al. 1995. Cloning and partial characterization of regulated promoters from Lactococcus lactis Tn917-lacZ integrants with the new promoter probe vector, pAK80. Applied and Environmental Microbiology, 61(7):2540-2547.
	191	Kohler, et al. 1975. Continuous cultures of fused cells secreting antibody of predefined specificity. Nature, 256:495-497.
	192	Krause, et al. 1997. Complexes at the replication origin of Bacillus subtilis with homologous and heterologous dnaA protein. J. Mol. Biol., 274:365-380.
	193	Kreiswirth, et al. 1983. The toxic shock syndrome exotoxin structural gene is not detectably transmitted by a prophage. Nature, 305:709-712.
	194	Lam, et al. 1994. Rational design of potent, bioavailable, nonpeptide cyclic ureas as HIV protease inhibitors. Science, 263:380-384.
	195	Lancy, et al. 1989. Nucleotide Sequences of dnaE, the Gene for the Polymerase Subunit of DNA Polymerase III in Salmonella typhimurium, and a Variant That Facilitates Growth in the Absence of Another Polymerase Subunit. Journal of Bacteriology, 171(10):5581-5586.
	196	Lebedeva, et al. 2001. Antisense oligonucleotides: Promise and reality. Annu. Rev. Pharmacol. Toxicol., 41:403-419.
	197	Le Good, et al. 1998. Protein kinase C isotypes controlled by phosphoinositide 3-kinase through the protein kinase PDK1. Science, 281:2042-2045.
	198	Lee, et al. 1995. Molecular Cloning and Characterization of the Nontypable Haemophilus Influenzae-2019 rfaE Gene Required for Lipopolysaccharide Biosynthesis. <i>Infection and Immunity.</i> , 63(3):818-824.
	199	Link, et al. 1997. Methods for Generating Precise Deletions and Insertions in the Genome of Wild-Type Escherichia coli: Application to Open Reading Frame Characterization. J. Bacteriol., 179(20):6228-6237.
	200	Margolis, et al. 2000. Peptide Deformylase in Staphylococcus aureus: Resistance to Inhibition is Mediated by Mutations in the Formyltransferase Gene. Antimicrobial Agents and Chemotherapy, 44(7):1825-1831.
	201	Marrone, et al. 2000. Discovering high-affinity ligands from the computationally predicted structures and affinities of small molecules bound to a target: A virtual screening approach. <i>Perspectives in Drug Discovery and Design</i> , 20:209-230.
	202	Matsukura, et al. 1988. Synthesis of phosphorothioate analogues of oligodeoxyribonucleotides and their antiviral activity against human immunodeficiency virus (HIV). Gene, 72:343.
	203	Mestres, et al. 2000. Similarity versus docking in 3D virtual screening. Perspectives in Drug Discovery and Design, 20:191-207.
	204	Mojumdar, et al. 1988. Characterization of the tetracycline resistance gene of plasmid pT181 of Staphylococcus aureus. J. Bacteriology, 170(12):5522-5528.
	205	Mollegaard, et al. 1994. Peptide nucleic acid DNA strand displacement loops as artificial transcription promoters. Proc. Natl. Acad. Sci. U.S.A., 91:3892-3895.
	206	Moszer, et al. 1995. SubtiList. A relational database for the Bacillus subtilis genome. Microbiology, 141:261-268.
	207	Moszer, I. 1998. The complete genome of Bacillus subtilis: From sequence annotation to data management and analysis. FEBS Letters, 430:28-36.
	208	Nielsen, et al. 1991. Sequence-selective recognition of DNA by strand displacement with a thyrnine-substituted polyamide. Science, 254:1497-1500.

FILING DATE

February 3, 2004

EXAMINER	•	DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY. DOCKET NO.	APPLICATION NO.
ELITRA.001C1	10/771,241
APPLICANT Zyskind, et al.	
FILING DATE	GROUP .
February 3, 2004	1645

EXAMINER INITIAL	R OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	209	Nielsen, et al. 1993. Sequence specific inhibition of DNA restriction enzyme cleavage by PNA. Nucl. Acids. Res., 21(2):197-200.
	210	Nielsen, et al. 1994. Sequence-specific transcription arrest by peptide nucleic acid bound to the DNA template strand. Gene, 149:139-145.
	211	Norton, et al. 1996. Inhibition of human telomerase activity by peptide nucleic acids. Nature Biotechnol., 14:615-619.
	212	Oshima, et al. 1996. A 718-kb DNA Sequence of the Escherichia coli K-12 Genome Corresponding to the 12.7-28.0 min Region on the Linkage Map. DNA Research, 3:137-155.
	213	Oshima, et al. 1996. Escherichia coli genomic DNA (25.2-25.6 min),* Database accession no. D90747, XP002181476.
	214	Pardridge, et al. 1995. Vector-mediated delivery of a polyamide ("peptide") nucleic acid analogue through the blood-brain barrier in vivo. Proc. Natl. Acad. Sci. U.S.A., 92:5592-5596.
	215	Pearson, W. R. 1990. Rapid and sensitive sequence comparison with FASTP and FASTA. Methods in Enzymology, 183:63-98.
	216	Plá, et al. 1990. Cloning and expression of the ponB gene, encoding penicillin-binding protein 1B of Escherichia coli, in heterologous systems. J. Bacteriol., 172(8):4448-4455.
	217	Plunkett, et al. 1994. "Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes," Database accession no. U18997, XP002181132.
	218	Plunkett, et al. 1994. "Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes," Database accession no. U18997, XP002181477.
	219	Post, et al. 1979. Nucleotide Sequence of the Ribosomal Protein Gene Cluster Adjacent to the Gene for RNA Polymerase Subunit Beta in Escherichia Coli. Proceedings of the National Academy of Sciences of the USA, 76(4):1697-1701.
	220	Rossi, et al. 1991. The potential use of catalytic RNAs in therapy of HIV infection and other diseases. Pharmac. Ther., 50:245-254.
	221	Roth, et al. 1996. Biosynthesis of aromatic amino acids in Escherichia coli and Salmonella typhimurium. In Neidhardt, et al. (Eds.). Escherichia coli and Salmonella: Cellular and molecular biology, 2nd Ed., Vol. 2, pp. 2269-2271. Washington, D.C.: ASM Press.
	222	Rudd, K. E. 1998. Linkage map of Escherichia coli K-12, edition 10: The physical map. Micro. & Mol. Biol. Rev., 62(3):985-1019.
	223	San Martin, et al. 1998. Three-Dimensional Reconstructions from Cryoelectron Microscopy Images Reveal an Initimate Complex Between Helicase DnaB and its Loading Partner DnaC. Structure, 6:501-509.
·	224	Schena, et al. 1995. Quantitative monitoring of gene expression patterns with a complementary DNA microarray. Science, 270:467-470.
	225	Schnappinger, et al. 1995. Extracellular expression of native human anti-lysozyme fragments in Staphylococcus camosus. FEMS Microbiology Letters, 129:121-127.
	226	Scott, et al. 1990. Searching for peptide ligands with an epitope library. Science, 249:386-390.
	227	Shalon, et al. 1996. A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization. Genome Research, 6:639-645.
	228	Shuker, et al. 1996. Discovering high-affinity ligands for proteins: SAR by NMR. Science, 274:1531-1534.
	229	Smith, et al. 1997. Assessment of the Synergistic Interactions of Levofloxacin and Ampicillin Against Enterococcus Faecium by the Checkerboard Agar Dilution and Time-Kill Methods. <i>Diagnos. Microbiol. Infect. Disease</i> , 27:85-92.
	230	Sofia, et al. 1994. Analysis of the Escherichia coli genome. V. DNA sequence of the region from 76.0 to 81.5 minutes. Database accession no. XP-002228916.
	231	Suh, et al. 1995. Genetic and transcriptional organization of the <i>Bacillus subtilis spc-alpha</i> region. Database accession no. L47971 (ID: BSRPLP), XP002190118.
	232	Suh, et al. 1996. Genetic and transcriptional organization of the Bacillus subtilis spc-alpha region. Gene, 169:17-23.
	233	Sutton, et al. 1998. Escherichia coli DnaA Protein. The N-Terminal Domain and Loading of DnaB Helicase at the E. coli Chromosomal. J. Biol. Chem., 273:34255-62.
	234	Tao, et al. 2000. Drug target validation: Lethal infection blocked by inducible peptide. PNAS, 97(2):783-786.
	235	Tatusov, et al. 2000. The COG database: A tool for genome-scale analysis of protein functions and evolution. <i>Nucleic Acids Research</i> , 28(1):33-36.
	236	Uhlmann, et al. 1990. Antisense Oligonucleotides: A New Therapeutic Principle. Chemical Reviews, 90(4):543-584.
	237	Vaitukaitis, et al. 1971. A method for producing specific antisera with small doses of immunogen. J. Clin. Endocr. Metab., 33:988-991.
	238	Valvano, et al. 2000. The rfaE Gene from Escherichia coli Encodes a Bifunctional Protein Involved. Journal of Bacteriology, 182:488-497.

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY, DOCKET NO. ELITRA.001C1	APPLICATION NO. 10/771,241	
APPLICANT Zyskind, et al.		
FILING DATE February 3, 2004	GROUP 1645	

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	239	Van Delden, et al. 1998. Cell-to-cell signaling and Pseudomonas aeruginosa infections. Emerging Infectious Diseases, 4(4):551-560.	
	240	Van Heeswijk, et al. 1993. The Genes of the Glutamine Synthetase Adenytylation Cascade are not Regulated by Nitrogen in Escherichia coli. Molecular Microbiology, 9:443-457.	
	241	Wagner, et al. 1987. Protein structures in solution by nuclear magnetic resonance and distance geometry: The polypeptide fold of the basic pancreatic trypsin inhibitor determined using two different algorithms, DISGEO and DISMAN. J. Mol. Biol., 196:611-639.	
	242	Wechsler, et al. 1971. Escherichia coli Mutants Temperature-Sensitive for DNA Synthesis. Mol. Gen. Genetics, 113:273-284.	
	243	Wlodawer, et al. 1993. Structure-based inhibitors of HIV-1 protease. Annu. Rev. Biochem., 62:543-585.	
	244	Wüthrich, et al. 1983. Pseudo-structures for the 20 common amino acids for use in studies of protein conformations by measurements of intramolecular proton-proton distance constraints with nuclear magnetic resonance. J. Mol. Biol., 169:949-961.	
	245	Xia, et al. 1999. Rapid method for the identification of essential genes in Staphylococcus aureus. Plasmid, 42:144-149.	
	246	Yinduo Ji, et al., "Regulated Antisense RNA Eliminates Alpha-Toxin Virulence in Staphylococcus Aureus Infection," J. BACTERIOLOGY 181(21): 6585-6590 (November 1999).	
	247	Zhang, et al. 1996. Polar Allele Duplication for Transcriptional analysis of consecutive essential genes: Application to a cluster of Escherichia coli fatty acid biosynthetic genes. J. Bacteriol., 178(12):3614-3620.	
	248	Zhang, et al. 2000. Regulated Gene Expression in Staphylococcus aureus for Identifying Conditional Lethal Phenotypes and Antibiotic Mode of Action. Gene, 255:297-305.	
_	249	Partial European Search Report from co-pending Application EP 01 12 4215 dated 01/28/03.	
	250	U.S. Patent Application No. 08/896,342, filed July 18, 1997.	
	251	U.S. Provisional Patent Application No. 60/060,767, filed October 2, 1997,.	
	252	U.S. Patent Application No. 09/361,318, filed July 27, 1999.	
	253	U.S. Patent Application No. 09/697,258.	

S:\DOCS\DOH\DOH-7963.DOC:dmb 060204

EXAMINER	DATE CONSIDERED